

TYPE OF PIPE	CRUSHING STRENGTH		
	✠ 1.4" NOM. DIAMETER	✠ 1.6" NOM. DIAMETER	
CORRUGATED ALUMINUM		0.048	
SMOOTH WALL PVC	.103	0.153	
SMOOTH WALL PE	70 PSI ✠✠✠		70 PSI ✠✠✠

✠ WALL THICKNESS (MIN) - INCHES
✠✠✠ TESTED ACCORDING TO ASTM D-2412 AT 5% DEFLECTION.







TYPE OF PIPE	CRUSHING STRENGTH		
	✠ 1.4" NOM. DIAMETER	✠ 1.6" NOM. DIAMETER	
CORRUGATED ALUMINUM		0.048	
SMOOTH WALL PVC	.103	0.153	
SMOOTH WALL PE	70 PSI ✠✠✠		70 PSI ✠✠✠

✠ WALL THICKNESS (MIN) - INCHES
✠✠✠ TESTED ACCORDING TO ASTM D-2412 AT 5% DEFLECTION.



TYPE OF PIPE	CRUSHING STRENGTH	
	✠ 1.6" NOMINAL DIAMETER	
SMOOTH WALL PVC	0.153	
CORRUGATED PE	AASHTO M-252	

TYPE OF PIPE	CRUSHING STRENGTH	
	✠ 1.6" NOMINAL DIAMETER	
SMOOTH WALL PVC	0.153	
SMOOTH WALL PE	70 PSI ✠✠✠	



















COMMONWEALTH OF VIRGINIA
DERRICK A. JOHNSON
Lic. No. 34761
11-26-07
PROFESSIONAL ENGINEER

VIRGINIA | NORTH CAROLINA | WEST VIRGINIA
THIS DRAWING PREPARED AT THE
PRINCE GEORGE OFFICE
4260 Crossings Blvd | Prince George, VA 23875
TEL 804.541.6600 FAX 804.751.0798 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

Site Development | Residential | Infrastructure | Technology

REVISION DESCRIPTION	DATE
COUNTY COMMENTS	26 NOV 07

DATE	31 JULY 2007
DRAWN BY	K. HALPAUS
DESIGNED BY	K. HALPAUS
CHECKED BY	D. JOHNSON
SCALE	NONE

TIMMONS GROUP

THE MEADOWS @ PRINCE GEORGE - SECTION 3
BLAND DISTRICT * PRINCE GEORGE COUNTY, VIRGINIA
DETAILS

JOB NO.	24313
SHEET NO.	C1.2

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, however, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.