

DISABLED PARKING SPACE SIGN

SIDEWALK RAMP DETAIL



Driveway Section



CG-7

NOTES:

1. THIS ITEM MAY BE PRECAST OR CAST IN PLACE.
2. CONCRETE TO BE CLASS A3 IF CAST IN PLACE, 4000 PSI IF PRECAST.
3. COMBINATION CURB & GUTTER HAVING A RADIUS OF 300 FEET OR LESS (ALONG FACE OF CURB) SHALL BE PAID FOR AS RADIAL COMBINATION CURB & GUTTER.
4. FOR USE WITH STABILIZED OPEN-GRADED DRAINAGE LAYER, THE BOTTOM OF THE CURB AND GUTTER SHALL BE CONSTRUCTED PARALLEL TO THE SLOPE OF SUBBASE COURSES AND TO THE DEPTH OF THE PAVEMENT.
5. THIS CURB MAY BE USED WITH ANY DESIGN SPEED BUT IS REQUIRED WHEN DESIGN SPEED IS GREATER THAN 40 MPH ON RURAL HIGHWAYS AND 45 MPH IN DEVELOPED URBAN & SUBURBAN AREAS.
6. WHEN THIS STANDARD IS TO BE TIED INTO EXISTING BARRIER CURB, THE TRANSITION IS TO BE MADE WITHIN 10' OR THE CHANGE IN STANDARDS MADE AT REGULAR OPENINGS.
7. WHEN COMBINATION MOUNTABLE CURB AND GUTTER IS USED, THE STANDARD ENTRANCE GUTTERS OR STANDARD CONNECTION FOR STREET INTERSECTIONS ARE TO HAVE THE MOUNTABLE CURB CONFIGURATION INCORPORATED.



COMBINATION 4" CURB & GUTTER

VIRGINIA DEPARTMENT OF TRANSPORTATION

201.04

SPECIFICATION REFERENCE: 105, 502

Pavement Section



NOTE

PAVEMENT SECTION FOR BIDDING PURPOSES ONLY - CONTRACTOR TO GEOTECHNICAL REPORT FOR COMPLETE CONSTRUCTION RECOMMENDATIONS

TYPICAL ROAD SECTION



Sidewalk Detail

NTS



TYPICAL ROAD SECTION





SECTION A-A

SEE SHEET C5 FOR SECTION CUT LOCATION & DITCH LAYOUT

JOB NO. 04287

THIS DRAWING IS THE PROPERTY OF BAY DESIGN GROUP, P.C. AND IS NOT TO BE REPRODUCED OR USED FOR ANY PROJECT IN WHOLE OR IN PART WITHOUT EXPRESS WRITTEN PERMISSION

FILED: 04287DET

DESIGNED: GLW

CHECKED: KLB

DATE: SEPT. 30, 2005

REVISED: MAR. 15, 2006 PER COUNTY COMMENTS

REVISED: MAY 3, 2006 PER COUNTY COMMENTS

REVISED: JUNE 6, 2006 PER COUNTY COMMENTS

BAY design group
Engineering Surveying & Land Planning

PROJECT OFFICE:

RICHMOND
9415-A ATLEE COMMERCE BLVD.
ASHLAND VA. 23005
(804) 550-4855
FAX: (804) 550-4857

OTHER OFFICES:

MIDDLE PENINSULA
BUSINESS ROUTE 17 NORTH
P.O. BOX 509 SALUDA VA. 23149
(804) 758-5678
FAX: (804) 758-5920

TIDEWATER
7307 MARTIN STREET
P.O. BOX 895 GLOUCESTER VA. 23061
(804) 693-2993
FAX: (804) 693-5596

COMMONWEALTH OF VIRGINIA
KENNETH L. BARNES
No. 23867
6/6/06
PROFESSIONAL ENGINEER

PROJECT:

Waterside at Jordan Point Condominiums

Bland District
Prince George County, Virginia

SHEET:

Road Details

SHEET NO: C9

JOB NO. 04287

www.baydesigngroup.com